

Baumatic: Appliance Chic

Baumatic is a universal brand expanding its passion for innovation and style to almost 50 countries world wide. Established in the UK in 1992, it brings many years of expertise in the kitchen appliance industry. The essence of our strength is in quality products at affordable prices, whilst never compromising on safety & features. This success is made possible thanks to our global purchasing power and our universal affiliations.

At Baumatic we have put thought and passion into the finer details, to capture the beauty of the most elaborate kitchen designs.

Baumatic, Appliance Chic.



Baumatic: Customer Care Program

Our mission at Baumatic is not only to offer you a quality product but to provide you with the support that you deserve when you purchase one of our appliances. Your appliance is supported by a 2 year parts and labour customer care program provided by Think Appliances.

To activate your warranty you can register online at www.thinkappliances.com/warranty or call 1800 444 357 and speak to one of our skilled Customer Care Consultants. You will receive personal instructions on how to operate your new appliance and a welcome pack with your personal Think Customer Care card.

Inbuilt Ovens	
Gas Cooktops	
Microwaves	
Upright Cookers	14
Electric Cooktops	17
Rangehoods & Canopies	18
Dishwashers	23
Coffee Machines	23
Specifications	24

Features & Functions














Energy Efficiency

At Baumatic we take caring for the environment very seriously. We therefore do our best to make sure all of our appliances are as efficient as possible. All Baumatic ovens are either rated A or A+ on the European union energy efficiency scale.

Mark Free Stainless Steel

Stainless Steel, whilst sleek and modern, can be prone to leaving finger marks. All Baumatic ovens feature a specially designed mark resistant coating. Simply wipe over with Baumatic's handy microfiber cloths to keep your oven looking like new.

Wipe Clean Enamel

The non-porous enamel on our ovens has a glass-like finish which stops grease and oil from penetrating too far into the enamel making cleaning easier and less of a chore.

Pyrolytic Cleaning

To aid the cleaning process, selected Baumatic ovens are specially designed and constructed to heat up to a high temperature and burn off grease and fatty deposits produced from every day cooking. To ensure your safety, Baumatic pyrolytic ovens are designed to automatically lock during the pyrolytic cleaning process. Once the oven has cooled down, our nonporous oven enamel allows you to easily wipe away the ash produced by the pyrolytic cleaning process.

Cooling Fan

An inbuilt cooling fan circulates air around the oven to maintain a safe surface temperature and protect cabinets from heat damage. This cooling fan will continue to work until the temperature reaches a safe level.









Triple Glazed Glass Doors

Three layers of glass in the oven door maintain the internal temperature more efficiently while keeping the external door temperature safer to touch. Most ovens now come with a full width inner door glass, making cleaning easier.

Electronic Control and Program Timer

Selected Baumatic ovens are enhanced with an electronic control system that utilises electronic thermostats and temperature displays. This delivers greater accuracy and control for perfect cooking results every time.

Auto Timer

The auto timer on our ovens allows you to set the desired cooking time for your meal. With this smart function you can select the precise start and finish time, to have your meal ready at any time of the day.

Full Inner Door Glass

The inner glass door is totally flat and allows the oven to be cleaned easily and thoroughly. In addition, Baumatic oven doors can be simply detached without the aid of any tools.

Removable Side Racks & Roof Liners

Cleaning your oven has been made easy with Baumatic's removable roof liner. You no longer need to clean behind the grill. Simply remove the roof liner from behind the grill element, wash at the sink and slide back into place.

Baking/Pizza Stone (Accessory BPS2)

With Baumatic's pizza stone, simply preheat your oven with the stone in it and place your recipe on the top for a perfect crisp result. The pizza stone will enhance the cooking of pizzas, quiches, breads or any recipe that requires a crisp base.


Baumatic



Cooking with Gas

As cultures cross borders and great cooking traditions are brought to our shores, Baumatic's hobs need to be able to cater for various cooking styles. Regardless of whether the cooking method requires large or small saucepans, they are all catered for by our hobs' flexible burner configurations and sturdy cast iron trivets.

Triple flame high-powered wok burners, and large, medium and small auxiliary burners are available to make sure you get the right level of cooking power. They will also ensure that you are saving money, energy and the environment.



Induction - A Better Way to Cook

Induction is a truly unique and revolutionary way to cook. Under the surface of the induction hob are generators. These generators send high frequency currents through the glass surface into the cooking utensil, when one has been placed onto the hob.

These magnetic currents then heat up the pan directly inside. Induction hobs are therefore the safest cooking appliance on the market today. Not only is induction the safest cooking method, but also the most energy efficient. So join us in helping the environment by purchasing a hob that uses much less energy than traditional methods. Finally the performance of induction is unmatchable. It will cook faster than any other heat source available and has impeccable control. It can go from a boil to the finest simmer in literally seconds. Induction gives you total control at your fingertips.



Hypergas Burners

Baumatic's Hypergas burner system delivers one of the highest outputs of gas power available, perfect for frying, boiling water or cooking your favourite stir-fry. With selected cooktops, the Hypergas burner features dual control operation allowing you to control just the innermost part of the burner, perfect for delicate cooking and simmering.



Hyperspeed Zone

Baumatic ceramic hobs are built with advanced technology that delivers fast cooking results for the electric market. Baumatic's Hyperspeed element system delivers the performance you need in a busy kitchen. From a powerful 2100 watts through to a finer simmering power, Baumatic's ceramic electric hobs heat up in a matter of seconds.



Flame Failure Safety System

You can enjoy complete peace of mind while you cook. Baumatic's flame failure safety system automatically cuts the gas supply should the flame be extinguished because of a strong current of air or liquid spillage. In effect, because we have devoted our time to ensuring your safety, you can devote your time to simply enjoying vourself in the kitchen.



Residual Heat Indicator

Baumatic induction hobs are safer, because only the cooking zone becomes hot from contact with the pan. Once the pan is removed, you only have to wait a few minutes for the cooking zone to cool down. In order to make our induction and ceramic hobs even safer, residual heat indicators remain on while the temperature is above 65°C.



Front Control Operation

All our gas cooktops have the controls located across the front of the hob for easy use. With front control operation you also have more room between your burners which is great for the extra large pots.



Automatic Timer

Conveniently set an automatic timer to any cooking zone and Baumatic induction cooktops will shut down the power automatically once the timer has counted down. It can be set up to 99 minutes and is perfect to set and forget so you can continue doing other things in the kitchen or simply relax.





Cutting Edge Designs

Baumatic rangehoods are not only built to effectively capture and eliminate cooking odours, they are created with elegance and flair to visually enhance your style of kitchen. Baumatic offers a wide range of hoods including Island Canopies, Wall Canopies, Undermount and Slide-out rangehoods.



cooking results. Microwave Grill

Auto Cook

Baumatic microwaves can do more then just heat up your food. The grill function will enhance the final result of food being reheated by keeping food crisp. Ideal for reheating pastries by selecting the grill option combined with microwave heating.

Making life easier in the kitchen for you, all Baumatic

microwave ovens include an auto cook feature. Simply select the food type, there are 14 to choose from, add

the weight and then press start. The microwave will then

calculate the suitable time and power level for optimum



LCD Display and Electronic Controls

Selected Baumatic rangehoods feature stylish LCD displays and electronic controls with back lit speed control, clock and auto off timer. The auto-off timer function allows your rangehood to run for an additional 12 minutes after you have finished cooking, extracting any remaining odours and switching itself off without you needing to return to the kitchen.



Convection Cooking

Further to the grill function, some of our Baumatic microwaves have a combination cooking ability. This turns the microwave into a convection oven that can bake and roast meat, casseroles and vegetables. The microwave utilises a special heating element and fan system to do so.




Lighting

Baumatic rangehoods offer a variety of lighting options to suit all preferences. From halogen lights which produce a sharp, bright light to effecient low wattage LED lights. LED lighting is renowned as a superior light source that offers lower energy consumption, longer lifetime and greater reliability.




Dishwasher Cutlery Tray

Selected Baumatic dishwashers feature a slide out cutlery tray. This feature allows you to individually place each piece of cutlery into the dishwasher for superior wash results. With its own independent spray, a perfect clean is guaranteed.



Extraction or Recirculating

All Baumatic rangehoods are ready to operate as a ducted appliance. Baumatic highly recommends this type of installation for the most effective operation of your Baumatic rangehood. If for some reason you cannot duct your hood to the atmosphere, a carbon filter/s can be purchased to fit to your hood which will help eliminate odours and allow you to recirculate the air back into the kitchen.



Half Load Function

Don't have a full load of dishes? For added flexibility and efficiency, selected Baumatic dishwashers feature a half load alternative wash cycle. Simply select top basket only or bottom basket only to clean up those smaller loads.







Lower element only

This method of cooking uses the lower element to direct heat upward to the food. For slow cooking recipes or for warming up meals.





Convention oven

This method of cooking provides traditional cooking with heat from the top and lower elements. Particularly suitable for roasting and baking on one shelf only.





Full arill & rotisserie

Please check your model number to establish if the rotisserie accessory is supplied. This function will operate the rotisserie as well as the grill simultaneously giving a moderate to strong heat. Best for whole chickens, kebabs, and speed roasts.





Half grill

This cooking method is normal grilling utilising the inner part only of the top element, which directs heat downward onto the food. Suitable for grilling small portions of bacon, toast, meat, etc.





Full grill

This cooking method is normal grilling utilising the inner and outer part of the top element, which directs heat downwards onto the food. Suitable for grilling medium or large portions of sausages, bacon, steaks, fish, etc.





Grill & rotisserie


Please check your model number to establish if the rotisserie accessory is supplied. This function will operate the rotisserie as well as the grill and the fan simultaneously. Best for quick browning and even roasting.





Fan forced

This method of cooking uses the circular element while the heat is distributed by the fan, resulting in a faster and more economical operation. Cooking with the fan on allows different kinds of food to be cooked simultaneously on different shelves.






Fan & lower element

This method of cooking uses the bottom element only while the fan is circulating the heat. For delicate dishes and heating pre-cooked food. It is also for sterilising preserving jars.





The fan runs without heat to reduce the defrosting time of frozen foods. The time required to defrost the food will depend on the room temperature. the quantity and type of food. Always check food packaging for instructions.





Fan assisted


This method of cooking provides traditional cooking with heat from the top and the lower element, plus the use of circulation fan to ensure an even distribution of the heat. Suitable for light and delicate baking such as pastries.





Fan & grill

This method of grilling uses the top element in conjunction with the fan to help a fast circulation of heat. Suitable where quick browning is required and sealing the juices in such as steaks, hamburgers, some vegetables, etc.





PRH - Preheating

This function uses the grill, the lower element and fan. It is intended for preheating the oven in a faster time up to 210°C.





Top element only

This method of cooking uses the outer part of the top element to direct heat downwards onto the food. For gentle cooking, browning or keeping cooked dishes warm.







Pizza function

This method of cooking uses the lower and circular element while the heat is distributed by the fan reproducing the same conditions of traditional clay wood-fire stoves.





Pyrolytic cleaning

The pyrolytic function enables the oven to reach 500°C. This temperature is sustained during a period of 90 minutes allowing any residue produced during every day cooking to be burnt to ashes.







BA06003-P



BA06001-P

60cm Fan Forced Oven



4 Functions

54 litre net / 59 litre gross capacity

Mark free stainless steel

Wipe clean enamel interior

LED 24hr program timer

Removable roof guard

Easy glide door hinges

Fully sealed oven

Triple glazed door with full inner door glass

One piece seamless oven liner

Moulded side oven racks

Cavity cooling system





7 Functions

54 litre net / 59 litre gross capacity

Mark free stainless steel

Wipe clean enamel interior

LED 24hr program timer

Removable roof guard

Easy glide door hinges

Fully sealed oven

Triple glazed door with full inner door glass

One piece seamless oven liner


Moulded side oven racks

Cavity cooling system

BA06009-P

Pyrolytic Oven







BA04636-P

46cm Touch Control Multifunction Oven





10 Functions

37 litre net / 45 litre gross capacity

Mark free stainless steel

Wipe clean enamel interior

LED temperature display LED 24hr program timer

LED function display

Touch control operation

Easy glide door hinges

Fully sealed oven

Triple glazed door with full inner door glass

One piece seamless oven liner

Chrome steel oven racks

Cavity cooling system

BAWD1401-P

14cm high Warming Drawer



Mark free stainless steel 3 heat levels Adjustable temperature (up to 85°C) Accommodates 6 place setting Maximum load: 25kg

BA06008-P



60cm Double Oven

Top oven: 4 functions • 30 litre net / 36 litre gross capacity



Main oven: 9 functions • 54 litre net / 60 litre gross capacity



4 Functions Top oven

9 Functions Main oven

Wipe clean enamel interior

LED 24hr program timer

Easy glide door hinges

Triple glazed removable oven door

One piece seamless oven liner

Cavity cooling system

Chromed steel oven racks



BA09038-P



75cm Multifunction Oven



9 Functions

79 litre net / 92 litre gross capacity

Mark free stainless steel finish

Wipe clean enamel interior

LED 24hr program timer

Easy glide door hinges

Removable roof guard

Fully sealed oven

Triple glazed door with full inner door glass

One piece seamless oven liner

Chromed steel oven racks

Cavity cooling system



90cm Multifunction Oven



9 Functions

79 litre net / 92 litre gross capacity

Mark free stainless steel finish

Wipe clean enamel interior

LED 24hr program timer

Easy glide door hinges

Triple glazed door

One piece seamless oven liner


Cavity cooling system

Chromed steel oven racks

Rotisserie



BACG6030-P



60cm Gas Cooktop

4 burner cooktop with wok Front control operation Automatic ignition Heavy duty cast iron trivets Flame failure safety device

)-P



BHG730SS

70cm Gas Cooktop

5 burner cooktop with centre wok Front control operation Automatic ignition Heavy duty cast iron trivets Flame failure safety device

Fits into a standard 60cm cut-out

BHG750SS



75cm Gas Cooktop

5 burner cooktop with side wok Front control operation Automatic ignition Heavy duty cast iron trivets Flame failure safety device Hyper-gas extra powerful wok burner Dual control hyper gas burner

BHG930SS

90cm Gas Cooktop

5 burner cooktop with side wok
Front control operation
Automatic ignition
Heavy duty cast iron trivets
Flame failure safety device
Hyper-gas extra powerful wok burner
Dual control hyper gas burner



BACG3034-P



30cm Gas Cooktop

2 burner cooktop Front control operation Automatic ignition Heavy duty cast iron trivets Flame failure safety device

BACG3035-P



30cm Gas Cooktop

Single triple flame wok burner
Front control operation
Automatic ignition
Heavy duty cast iron trivets
Flame failure safety device
Hyper-gas extra powerful wok burner
Dual control hyper gas burner

BACE3036-P



30cm Ceramic Electric Cooktop

2 hyper speed zones Front control operation Tough ceran glass surface Residual heat indicators Spill catchment area

BAM251TK



25 Litre Microwave Oven with Grill

Stainless steel exterior and interior
Microwave output: 800W
5 power levels
Rotating base and plate action
Push button control operation
Defrosting by weight mode option
Grill only operation available
Grill & Microwave Combination available
Child safety lock
LED display with programmable 24hr clock
Delay start option

Stainless steel trim kit included

BAM253TK



25 Litre Convection Microwave Oven with Grill

Microwave power: 900W
Grill power: 1100W
Stainless steel interior
LED display & clock fully programable
99min 99sec timer
Electronic push button controls
Push button/knob control operation
Quick start function
10 functions,10 power levels
Oven capacity: 25 litres
Stainless steel trimkit included



90cm Electric & Gas Upright Cooker BAU91EG



Oven features:

9 functions including oven light
Catalytic self cleaning oven liners
Oven capacity 118 litres
EU Class A energy efficiency
Fully programmable LED timer & clock
Thermostatically controlled grill
Cavity cooling fan
Double glazed door with Thermo-stop Technology™
Removable inner door glass

Cooktop features:

5 burner cooktop

1 x auxiliary burner, 2 x semi-rapid burners

1 triple flame wok burner, 1 x rapid burner

Under-knob ignition

Heavy duty cast iron pan supports

Flame failure safety device

90cm Electric Upright Cooker

BAU91EE



Oven features:

Catalytic self cleaning oven liners

Oven capacity 118 litres

EU Class A energy efficiency

Fully programmable LED timer & clock

Thermostatically controlled grill

Cavity cooling fan

Double glazed door with Thermo-stop Technology™

Removable inner door glass

Adjustable feet

Cooktop features:

2 dual zones

Responsive radiant elements

9 functions including oven light

Ceramic glass surface

Frameless design for ease of cleaning

90cm Gas Upright Cooker

BAU91GG



Oven features:

Gas fan assist oven
Catalytic self cleaning liners
Oven capacity 118 litres
EU Class A energy efficiency
60 minute timer
Double glazed door with Thermo-stop Technology™
Removable inner base for easy cleaning

Cooktop features:

5 burner cooktop

1 x auxiliary burner, 2 x semi-rapid burners

1 triple flame wok burner, 1 x rapid burner

Under-knob ignition

Heavy duty cast iron pan supports

Flame failure safety device



90cm Electric & Gas Upright Cooker

BAF91EG



Oven features:

9 functions including oven light
Catalytic self cleaning oven liners
Oven capacity 110 litres
Fully programmable LED timer & clock
Thermostatically controlled grill
Cavity cooling fan
Double glazed removable door
Removable inner door glass
Adjustable feet

Cooktop features:

5 burner cooktop
1 x auxiliary burner, 2 x semi-rapid burners
1 triple flame wok burner, 1 x rapid burner
Under-knob ignition
Heavy duty cast iron pan supports
Flame failure safety device

90cm Electric & Gas Upright Cooker

BAF92EG



Oven features:

9 functions including oven light
Catalytic self cleaning oven liners
Oven capacity 110 litres
Fully programmable LED timer & clock
Thermostatically controlled grill
Cavity cooling fan
Triple glazed removable door
Removable inner door glass
Adjustable feet


Cooktop features:

5 burner cooktop
1 x auxiliary burner, 2 x semi-rapid burners
1 triple flame wok burner, 1 x rapid burner
Under-knob ignition
Heavy duty cast iron pan supports
Flame failure safety device






BACE6004



60cm Ceramic Electric Cooktop

4 electric cooking zones
Touch control with 9 power levels
Illuminated digital display
Child safety lock feature
Auto switch off safety feature
Residual heat indicators
Responsive radiant electronic ceran elements
Toughened ceramic glass surface
Frameless design


BACE6006



60cm Electric Induction Cooktop

4 induction cooking zones with booster
4 independent induction generators
Toughened ceramic glass surface
Frameless design for ease of cleaning
Child safety lock feature
Residual heat indicators
Front touch control operation with 9 power levels
Electronic 99 minute timer
Auto switch off safety feature
Auto pan detection


BACE7004



70cm Ceramic Electric Cooktop

4 electric cooking zones
Touch control with 9 power levels
Illuminated digital display
Child safety lock feature
Auto switch off safety feature
Residual heat indicators
Responsive radiant electronic ceran elements
Toughened ceramic glass surface
Frameless design

BACE7006



70cm Electric Induction Cooktop

4 induction cooking zones with booster
4 independent induction generators
Toughened ceramic glass surface
Frameless design for ease of cleaning
Child safety lock feature
Residual heat indicators
Front touch control operation with 9 power levels
Electronic 99 minute timer
Auto switch off safety feature
Autopan detection

BACE9004



90cm Ceramic Electric Cooktop

4 electric cooking zones
2 dual zones
Ceramic glass surface
Frameless design for ease of cleaning
Electronic 99 minute timer
Residual heat indicators
9 power levels
Illuminated digital display
Child safety lock feature
Auto switch off safety feature



GEH6018



60cm Slideout Rangehood

Stainless steel rail with white underside

Twin centrifugal motors

440m³/hr drawing capacity

3 speed slide control

Twin incandescent lights

2 framed aluminium grease filters

Carbon filter GECF0107 available

GEH6019



60cm Slideout Rangehood

Stainless steel rail with white underside Single tangential motor 700m³/hr drawing capacity

3 speed electronic control

Twin round halogen lights

2 framed aluminium grease filters

Carbon filter GECF0108 available

GEH6017



60cm Slideout Rangehood

Extraction or recirculation

440m3/hr drawing capacity

2 x stainless steel fascia rails included:

- 80mmH front recirculating
- 40mmH direct ducting
- 2 x centrifugal motors
- 3 speed slide control
- 2 x aluminium grease filters
- 2 x Charcoal filters (GECF0107)

GEH9017



90cm Slideout Rangehood

Extraction or recirculation

440m³/hr drawing capacity

2 x stainless steel fascia rails included:

- 80mmH front recirculating
- 40mmH direct ducting
- 2 x centrifugal motors
- 3 speed slide control
- 2 x aluminium grease filters
- 2 x Charcoal filters (GECF0107)

GEH75U



75cm Undermount Rangehood

600m³/hr drawing capacity

Stainless steel finish

- 1 x tangential motor
- 3 speed control
- 3 x aluminium grease filter
- 2 x halogen lights





60cm 3 Flare Wall Canopy

Stainless steel finish
Twin 20 watt halogen lights
Twin framed aluminium grease filters
Single tangential motor
500m³/hr capacity air extraction
3 speed power levels
Push button control operation
Flue extension GEFE1202 available
Carbon filter GECF0108 available



90cm 3 Flare Wall Canopy

Stainless steel finish
Twin 20 watt halogen lights
Triple framed aluminium grease filters
Single tangential motor
700m³/hr capacity air extraction
3 speed power levels
Push button control operation
Flue extension GEFE1202 available
Carbon filter GECF0108 available





60cm Slimline Wall Canopy

Stainless steel finish
Twin 3 Watt LED lights
Twin framed aluminium grease filters
Single tangential motor
500m³/hr capacity air extraction
3 speed power levels
Electronic push button
control operation
Flue extension GEFE1204 available
Carbon filter GECF0108 available



90cm Glass Wall Canopy

Stainless steel & curved glass
Twin 3 Watt LED lights
Twin framed aluminium grease filters
Single tangential motor
700m³/hr capacity air extraction
3 speed power levels
Electronic push button
control operation
LCD operation display
Flue extension GEFE1204 available
Carbon filter GECF0108 available



90cm Slimline Wall Canopy

Stainless steel finish

Twin 3 Watt LED lights
Triple framed aluminium grease filters
Single tangential motor
700m³/hr capacity air extraction
3 speed power levels
Electronic push button
control operation
Flue extension GEFE1204 available
Carbon filter GECF0108 available



90cm Glass Wall Canopy

Stainless steel & flat glass
Twin 3 Watt LED lights
Twin framed aluminium grease filters
Single tangential motor
700m³/hrcapacity air extraction
3 speed power levels
Electronic push button
control operation
LCD operation display
Flue extension GEFE1204 available
Carbon filter GECF0108 available



BAH93CG-IS



90cm Glass Island Canopy

Stainless steel & curved glass
Quadruple 3 Watt LED lights
Twin framed aluminium grease filters
Single tangential motor
700m³/hr capacity air extraction
3 speed power levels
Electronic push button
control operation
LCD operation display
Flue extension GEFE1006 available
Carbon filter GECF0110 available


BAH94FG-IS



90cm Glass Island Canopy

Stainless steel & flat glass
Twin 3 Watt LED lights
Twin framed aluminium grease filters
Single tangential motor
700m³/hr capacity air extraction
3 speed power levels
Electronic push button
control operation
LCD operation display
Flue extension GEFE1006 available
Carbon filter GECF0110 available


ACCESSORIES





Flue cover extensions enable effective rangehood installation for ceilings of all heights and are available for both wall mounted and island models.

Available for all Baumatic canopies.





BDW60S



60cm Freestanding Dishwasher

12 place settings 8 programmes 5 temperatures Anti-leak device Anti-flood device Height adjustable upper basket Collapsible plate racks Noise level: 55 dB

BDWI660 + BAD4503



BDWI660 60cm Fully Integrated Dishwasher

14 place settings 6 wash programs 5 temperatures Anti-leak device Anti-flood device Aqua-stop Height adjustable u

Height adjustable upper basket Collapsible plate racks

Noise level : 49 dB

LED display Half Load Setting (Top or Bottom)

Delay start

Delay start

Premium extra-thick enamel baskets

BAD4503 45cm Fully Integrated Dishwasher

8 place settings 7 programmes 5 temperatures Anti-leak device Anti-flood device Height adjustable upper basket Collapsible plate racks Noise level: 53 dB LED disolav



BDW70S



60cm Freestanding Dishwasher

Premium extra-thick enamel baskets

14 place settings
6 wash programs
5 temperatures
Anti-leak device
Anti-flood device
Aqua-stop
Height adjustable upper basket
Collapsible plate racks
Noise level: 49 dB
LED display
Half Load Setting (Top or Bottom)
Delay start

BAEC2SS.2



60cm Semi Automatic Coffee Machine

Mark resistant coating with central mirror glass
Touch control operation
Filter suitable for pods, ground coffee or loose-leaf tea

Steam spout for frothing milk

Hot water dispensing spout for tea or instant coffee

Pull-out storage compartment for accessories
Separate boiler and pump for coffee making & steam

Coffee pump pressure = 15 bar

Removable 1.8 litres capacity water tank Water softener for water filtration


Empty water tank warning LED light

Reaching temperature LED indicator


Safety stop operation on pumps

Removable drip tray for ease of cleaning






BAO6003-P and BAO6009-P : 15 AMP PLUG BAO6001-P : 15 AMP PLUG




BAO759-P: 15 AMP PLUG



600 560 550 550 888 888

85-90





BAO9038-P: 15 AMP PLUG


BAO6008-P: HARD WIRED


BAO4636-P: 15 AMP PLUG













BACG3034-P: 10 AMP PLUG


BACG3035-P: 10 AMP PLUG

BACE3036-P: HARD WIRED

BACG6030-P: 10 AMP PLUG









BHG730SS: 10 AMP PLUG


BHG750SS: 10 AMP PLUG

BHG930SS: 10 AMP PLUG











BACE6004: HARD WIRED

BACE6006: HARD WIRED

BACE7004: HARD WIRED







BACE7006: HARD WIRED

BACE9004: HARD WIRED









must have ventilation cutout minimum 40mm x 500mm

40

500

560-570


513

20

98

465


594



BAM251TK: 10 AMP PLUG


BAM253TK: 10 AMP PLUG

BAWD1401-P: 10 AMP PLUG



BAD4503 : 10 AMP PLUG BDW1660 : 10 AMP PLUG BDW60S + BDW70S : 10 AMP PLUG BAEC2SS.2 : 10 AMP PLUG






GEH6018: CARBON FILTER - GECF0107


GEH6019: CARBON FILTER - GECF0108

GEH6017: CARBON FILTER - GECF0107


GEH9017: CARBON FILTER - GECF0107



GEH75U: CARBON FILTER - CFC1




BAH60 + BAH90 : CARBON FILTER - GECF0108 FLUE COVER EXTENSION - GEFE1202




BAH61 + BAH91 : CARBON FILTER - GECF0108 FLUE COVER EXTENSION - GEFE1204

ELECTRICAL CONNECTIONS: ALL RANGEHOODS AND CANOPIES COME WITH A 10 AMP PLUG







BAH93CG: CARBON FILTER - GECF0108 FLUE COVER EXTENSION - GEFE1204



BAH94FG-IS: CARBON FILTER - GECF0110 FLUE COVER EXTENSION - GEFE1006



BAH94FG: CARBON FILTER - GECF0108 FLUE COVER EXTENSION - LIFE1202



BAH93CG-IS: CARBON FILTER - GECF0110 FLUE COVER EXTENSION - GEFE1006

ELECTRICAL CONNECTIONS: ALL RANGEHOODS AND CANOPIES COME WITH A 10 AMP PLUG





Baumatic Appliances

416-424 Barry Road Coolaroo, Victoria, AUSTRALIA 3048 Customer Care Phone 1800 444 357 Sales Phone 1300 132 824 Spare Parts Phone 1300 306 973 Customer Care Fax 1300 133 279 Sales Fax 1300 660 188 Spare Parts Fax 1300 887 306