

The Chef in Aussie kitchens for over 70 years



## The Chef in Aussie kitchens for over 70 years.

At Chef, we make cooking appliances designed to free up the time you spend in the kitchen.

They come with all the useful features you need, are efficient without being fussy, and add style.

The new appliances in the Chef range are simple to use, easy to maintain and above all, will help make time spent in the kitchen more enjoyable.

## contents

built-in ovens	4
cooktops	6
rangehoods	8
freestanding cookers	10
warranty	16

## built-in ovens

The Chef 80L\* built-in ovens are large a large lasagne or baking for friends

Chef's latest ovens also have an innovative air-cooled door to reduce the surface temperature of the glass.

The range of Chef cooking appliances design that you'll love.

### separate grill

This Australian cooking essential

### easy to clean

The Chef ovens are easy to maintain with features such as moulded shelf full glass door, which can be easily

### choice of ovens

Conventional – cooks by using heat



## built-in oven specifications



electric underbench & wall ovens <sup>†</sup>	EOC617 W/S	EOC627 W/S	EOC647 W/S	
oven fuel	electric	electric	electric	
oven type	single	single	single	
nominal width (mm)	600	600	600	
finish	white/stainless steel	white/stainless steel	white/stainless steel	
main oven				
type	conventional	fan forced	multi-function 5	
grill	electric in oven	electric in oven	electric in oven	
timer	60 minute	60 minute	programmable	
lights	1	]	]	
general features				
door glass layers	2	2	2	
easy clean formed shelf supports	$\checkmark$	$\checkmark$	$\checkmark$	
accessories				
number of shelves	2	2	2	
grill/oven pan	$\checkmark$	$\checkmark$	$\checkmark$	
grill insert	wire	wire	wire	
dimensions <sup>†</sup>				
product (h x w x d) mm	595 x 595 x 573	595 x 595 x 573	595 x 595 x 573	
cut-out flush (h x w x d) mm	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581	
cut-out proud (h x w x d) mm	590 x 565 x 561	590 x 565 x 561	590 x 565 x 561	



## EGC627 W/S

& wall ovens <sup>†</sup>	EGC627 W/S	EXC617 W/S	EXC627 W/S
oven fuel		electric	
	electric		electric
grill fuel	electric	electric	electric
oven type	separate grill underbench	separate grill wall	separate grill wall
nominal width (mm)	600	600	600
inish	white/stainless steel	white/stainless steel	white/stainless steel
main oven			
type	fan forced	conventional	fan forced
imer	60 minute	60 minute	60 minute
lights	]	1	]
general features			
door glass layers	2	2	2
easy clean formed shelf supports	$\checkmark$	$\checkmark$	$\checkmark$
accessories			
number of shelves	2	2	2
grill/oven pan	$\checkmark$	$\checkmark$	$\checkmark$
grill insert	wire	wire	wire
dimensions <sup>†</sup>			
product (h x w x d) mm	725 x 595 x 573	888 x 595 x 573	888 x 595 x 573
cut-out flush (h x w x d) mm	731 x 600 x 581	893 x 600 x 581	893 x 600 x 581
cut-out proud (h x w x d) mm	723 x 565 x 560	885 x 565 x 560	885 x 565 x 560

<sup>†</sup> Refer to Product information details on page 16.

electric separate grill underbench

۱			
/			





## cooktops

choose from the range of Chef above the oven or almost anywhere

finish than ever before, Chef built-in cooktops are your key to great food.

### side controls

great cooking results.

## easily installed gas cooktops


connection is required making

### easy clean ceramic

Not only does it look great, the durable glass surface on Chef ceramic cooktops are easy to clean, ensuring your kitchen is always looking its best.

### easy to use

Moving pots and pans around on the Chef cooktops is made easy with the gas flat trivets support design.



## cooktop specifications



cooktops	EHC617 W/S	EHC917 W	GHS917 W/S	GHC937 W/S	
type	solid element	solid element	gas	gas	
width (mm)			900	900	
finish	white enamel/ stainless steel	white enamel	white enamel/stainless steel	white enamel/stainless stee	
burners			4	5	
elements	4 x solid	4 x solid			
left front	1500W	1500W	triple-ring wok (14.4MJ/h)	triple-ring wok (14.4MJ/h)	
left rear	2000W	1500W	simmer (5.1MJ/h)	simmer (5.1MJ/h)	
centre				semi-rapid (9.0MJ/h)	
right front	1500W	1500W	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)	
right rear	1500W	2000W	rapid (12.1MJ/h)	rapid (12.1MJ/h)	
trivets			enamel	enamel	
ignition type			battery	electronic	
dimensions <sup>†</sup>					
product(w x d) mm	600 x 535	870 × 406	860 x 510	860 x 510	
cut-out(w x d) mm	570 x 490	825 x 362	830 x 470	830 x 470	






cooktops	EHC647UC	EHC947U	GH\$607 W/\$	GHC607 W/S	GHC617 W/S
type	ceramic	ceramic	gas	gas	gas
width (mm)	600	900	600	600	600
finish	trimless black ceramic glass	trimless black ceramic glass	white enamel/ stainless steel	white enamel/ stainless steel	white enamel/ stainless steel
burners			4	4	4
elements	4 x ribbon	4 x ribbon			
left front	1800W	2300W	rapid	rapid	triple-ring wok
			(12.1MJ/h)	(12.1MJ/h)	(14.4MJ/h)
left rear	1200W	1200W	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)
right front	1200W	1800W	simmer (5.1MJ/h)	simmer (5.1MJ/h)	simmer (5.1MJ/h)
right rear	1800W	1200W	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)
trivets			enamel	enamel	enamel
ignition type			battery	electronic	electronic
hot surface indicator	$\checkmark$	$\checkmark$			
dimensions <sup>†</sup>					
product(w x d) mm	610 x 515	930 x 520	600 x 535	600 x 535	600 x 535
cut-out(w x d) mm	560 x 490*	880 × 490	570 x 490	570 x 490	570 x 490

\* Refer to Product Information details on page 16. \*Will fit into 560 x 485 if required.





CHEOT	7 14	1/6



•	•	- 0.0
•	e p	. e.e.

## rangehoods


unwanted odours and greasy steam

Our rangehoods will help keep canopy, slide out or fixed.

### installation flexibility

### carbon filters

### easy to maintain



## rangehood specifications



rangehoods <sup>†</sup>	C\$6015	C\$9015	RFD602 W/S	RFD902 W/S
type	canopy	canopy	fixed	fixed
nominal width (mm)†	600	900	600	900
finish	stainless steel	stainless steel	white/stainless steel	white/stainless steel
number of fans/speeds	2/3	2/3	1/3	1/3
max. airflow	550m³/h	550m³/h	200m³/h	200m³/h
noise level high/low dB(A)	55/48	55/48	59/55	59/55
no. of filters	2	3	2	3
controls	slide	slide	slide	slide
lighting	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent
top or rear duct hole	top	top	top and rear	top and rear
optional extension flue (1100mm)	$\checkmark$	$\checkmark$		
dimensions <sup>†</sup>				
body width x depth x height (mm)	599 x 500 x 230	899 x 500 x 230	599 x 500 x 160	899 x 500 x 160
flue height* (mm)	1240	1240		
*from underside of body				



rangehoods <sup>†</sup>	REHR6 W/S	RRE635 W/S	RRE934 W/S	RRE634 W/S
type	slideout	slideout	slideout	slideout
nominal width (mm)†	600	600	900	600
finish	white/ stainless steel	white/stainless steel	white/stainless steel	white/stainless stee
number of fans/speeds	1/2	2/3	2/3	2/3
max. airflow	210m³/h	400m³/h	400m³/h	400m³/h
noise level high/low dB(A)	62/59	66/59	66/59	66/59
no. of filters	]	2	2	2
controls	auto activated push-pull	auto activated push-pull	auto activated push-pull	auto activated push-pull
lighting	1 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent
top or rear duct hole	top	top	top	top
dimensions <sup>†</sup>				
body width x depth x height (mm)	599 x 300 x 175	599 x 300 x 175	899 x 300 x 175	599 x 300 x 175
fascia height (mm)	40	70	40	40
Refer to Product Information details on page 16.				





## freestanding cookers

Chef's new range of freestanding kitchen. With a class-leading 80L gross oven capacity, you'll enjoy cooking for any occasion. Plus, our innovative anti-tilt technology provides

to complement any kitchen, Chef in electric or gas with everything you

### cooktop options

Choose from our practical range flat ceramic hobs.



## features



## Class-leading capacity

With a 80L gross oven capacity, Chef freestanding cookers have the largest cavity in the whole 54cm freestanding cooker range. And that means you can entertain guests and cook big family meals with absolute ease.

## Cool glass door

Designed with a cooler surface temperature, the oven door provides peace of mind with a special thermal coating for added safety. Plus, the super strong door assembly enables the oven door to withstand a hefty 38 kilograms when open. (Grill in oven models only.)

## Handy separate grill CODUCTION and smells apart.

CEEEE



Save time and elbow grease with specially formed shelf supports and acid-resistant enamel. Plus, the removable glass door system allows for quick and easy cleaning and no trapped grease. With a Chef freestanding cooker, a simple wipe clean is all vou need.

## Modern stainless steel finish

Enhance the look of your kitchen with a Chef freestanding cooker. Now available in a stylish stainless steel finish, you can enjoy a sleek built-in oven aesthetic with full glass doors and a grill in the oven.

## Sleek enamel surface

Enjoy a sparkling finish every time. With supreme durability on external surfaces, you can be assured your cooker will look as good as new for years to come.

Now you can grill and bake at the same time while keeping different cooking flavours

# gas cooker specifications

540mm wide gas freestanding<sup>.</sup>

available finishes

width (mm)

oven type

grill type



CFG504WA

540

white

gas

electric grill in oven

CFG503WA

540

white

gas

separate gas grill



CFG504SA

540

stainless steel

gas

electric grill in oven



CFG515WA

540

white

gas

separate gas grill





CFG517WA

540

white

gas

separate gas grill

CFG517SA
540
stainless steel
gas
separate gas grill
no
gas
4 (including wok)
14.4 MJ/h (wok)
9.0 MJ/h
5.1 MJ/h

new



0 /1	1 0 0	0	0	1 0 0		
closed door grilling	no	yes	yes	no	no	no
hob						
type	gas	gas	gas	gas	gas	gas
number of burners	4	4	4	4 (including wok)	4 (including wok)	4 (including wok)
left front	12.7 MJ/h	12.7 MJ/h	12.7 MJ/h	14.4 MJ/h (wok)	14.4 MJ/h (wok)	14.4 MJ/h (wok)
left rear	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
right front	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
right rear	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
hob Ignition	piezo	electronic	electronic	electronic	electronic	electronic
trivets	enamel	enamel	enamel	enamel	enamel	enamel
main oven						
type	conventional	conventional	conventional	conventional	fan forced	fan forced
capacity						
- gross (litres)	80	80	80	80	80	80
- usable (litres)	59	59	59	59	59	59
timer	_	60 min	60 min	_	60 min	60 min
oven light	_	yes	yes	yes	yes	yes
oven / grill ignition	piezo	electronic	electronic	electronic	electronic	electronic
shelf support	formed runners	formed runners	formed runners	formed runners	formed runners	formed runners
accessories						
number of shelves	2	2	2	2	2	2
grill dish	yes	yes	yes	yes	yes	yes
grill insert	yes	yes	yes	yes	yes	yes
dimensions <sup>†</sup> (mm)						
overall height x width x depth	910 x 540 x 635	910 x 540 x 635	910 x 540 x 635	910 × 540 × 635	910 x 540 x 635	910 x 540 x 635
overall height including splashback	1045	1045	1045	1045	1045	1045
connection						
type	hardwire	hardwire	hardwire	hardwire	hardwire	hardwire
maximum gas rating (MJ)	58.7	47.6	47.6	60.4	60.4	60.4

<sup>†</sup>Refer to Product Information details on page 16. \*height is to hob, depth does not include handles or knobs.



## electric cooker specifications



540mm wide electric freestanding <sup>•</sup>	CFE532WA	CFE535WA	CFE536WA	CFE536SA	CFE537WA	CFE547WA	CFE547SA
width (mm)	540	540	540	540	540	540	540
available finishes	white	white	white	stainless steel	white	white	stainless steel
oven type	electric	electric	electric	electric	electric	electric	electric
grill type	electric grill in oven	separate electric grill	electric grill in oven	electric grill in oven	separate electric grill	separate electric grill	separate electric grill
closed door grilling	yes	no	yes	yes	no	no	no
hob							
type	solid	solid	solid	solid	solid	ceramic	ceramic
number of burners	1000W	1500VV	1000W	1000W	1500W	1200W	1200W
left front	2000W	2000W	2000W	2000W	2000W	2000W	2000W
left rear	1500W	1500W	1500W	1500VV	1500W	1200W	1200W
right front	1000W	1000W	1000W	1000W	1000W	1200W	1200W
main oven							
type	conventional	conventional	fan forced	fan forced	fan forced	fan forced	fan forced
capacity							
- gross (litres)	80	80	80	80	80	80	80
- usable (litres)	66	66	66	66	66	66	66
timer	-	60 min	60 min	60 min	60 min	60 min	60 min
oven light	-	yes	yes	yes	yes	yes	yes
shelf support	formed runners	formed runners	formed runners	formed runners	formed runners	formed runners	formed runners
accessories							
number of shelves	2	2	2	2	2	2	2
grill dish	yes	yes	yes	yes	yes	yes	yes
grill insert	yes	yes	yes	yes	yes	yes	yes
dimensions <sup>†</sup> (mm)							
overall height x width x depth	910 x 540 x 635	910 x 540 x 635	910 x 540 x 635	910 x 540 x 635	910 x 540 x 635	910 x 540 x 635	910 x 540 x 635
overall height including splashback	1045	1045	1045	1045	1045	1045	1045
connection							
type	hardwire	hardwire	hardwire	hardwire	hardwire	hardwire	hardwire
maximum gas rating (MJ)	7.7	9.5	7.7	7.7	10	9.6	9.6

\* Refer to Product Information details on page 16. \*height is to hob, depth does not include handles or knobs.





## like to know more?



### top service

### warranty

Electrolux Home Products warrants that for domestic application, the Chef Ovens, Freestanding Cookers, Cooktops and Rangehoods featured in this brochure are free from defects in materials and workmanship for a period of 2 years (3 months for commercial applications) from the date of first purchase, subject to the conditions set out in the warranty card accompanying the product when purchased.

### t product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

A Printed on Monza Satin Recycled Art stock containing 50% recycled material & 50% from sustainable forests.

Chef. We are part of the Electrolux family. Share more of our thinking at www.electrolux.com.au