

**MADE FOR
HOLLOW LEGS**
EXTRA CAPACITY OVENS FOR UNEXPECTED VISITORS



 **Westinghouse**
freestanding cookers made for modern families



90CM FREESTANDING COOKERS

Our 90cm freestanding cooker range is for the serious cook. It puts all your cooking needs in one complete workstation, so entertaining and preparing those large family meals becomes a whole lot easier. With a huge 125L gross capacity, super-quick heatup time and easy-clean features, you'll wonder how you ever did without it.

Our fingerprint-resistant stainless steel models can be completely freestanding or integrated with kitchen cabinetry for that complete look and are available both electric and dual fuel.

And, as Winners of the 2012 Reader's Digest Trusted Brand for Whitegoods, you can be assured we are voted by and Made for Modern Families.



DESIGNED AND MADE IN AUSTRALIA

Proudly created for Australians by Australians, you can trust the new Westinghouse 90cm collection to cook all your favourite meals just the way you like them.



FULL-TOUCH ELECTRONIC CONTROL PANEL

Simple to operate and beautifully designed, the full touch electronic control panel is easy to clean and also features a fully programmable timer.

(selected models WVE916SA, WFE916SA and WFE946SA)



LARGE OVEN CAPACITY

With a spacious 125L gross capacity*, you can cook large meals with minimum fuss and maximum results. Our ovens have been tested to evenly bake up to 72 mini cupcakes in one go, so they're perfect for those last-minute school fundraisers!



EASY-CLEAN OVEN

Enjoy easy cleaning with one seamless fully sealed oven cavity. With no awkward joints, nooks or crannies to trap grease, a simple wipe is all you need to keep your oven clean.



TWIN FAN SYSTEM FOR EVEN COOKING

Cook each dish to perfection with the Twin Fan System. Fans rotate in opposite directions, distributing heat evenly throughout the oven, so you enjoy great results every time.



HANDY STORAGE COMPARTMENT

Extra storage always comes in handy, so with a clever storage compartment offered in our freestanding models, you can easily stow away any extra pots and pans.

(excludes model WFE912SA and WVE916SA)



FAST HEAT-UP TIME

Every moment counts at meal times, so while your oven heats up fast you can save time and get on with cooking the dishes you and your family love.



FINGERPRINT RESISTANT STAINLESS STEEL

Little hands or sticky fingers won't be a problem with easy-clean fingerprint-resistant stainless steel.



COOL TOUCH DOOR

For added safety and confidence in the kitchen, our cool touch door is beautifully designed with a large window, so you can keep a close eye on your cooking.



EASY TO USE HOB

Designed for maximum ease of use, our gas hobs have either a 5 or 6 burner configuration including a triple ring wok. The flat design trivets make it easy to slide pots from one burner to another. The full glass ceramic hob with touch controls, is easy to use and clean.

(excludes model WVE916SA)

* Based on International Standard IEC 60350-1

90CM FREESTANDING COOKERS

features[†]



| MODEL | WFE916SA | WFE914SA |
|--|----------------------------------|-------------------------|
| type | dual fuel | dual fuel |
| fingerprint-resistant stainless steel finish | ✓ | ✓ |
| HOB | | |
| type | gas | gas |
| burners/elements | 6 | 5 |
| front left | 14.4 MJ/h (wok) | 5.1 MJ/h |
| front right | 12.1 MJ/h | 12.1 MJ/h |
| front middle | 5.1 MJ/h | |
| rear middle | 9 MJ/h | |
| middle | | 14.4 MJ/h (wok) |
| rear left | 9 MJ/h | 9 MJ/h |
| rear right | 9 MJ/h | 9 MJ/h |
| control type | knobs | knobs |
| trivets | cast iron | cast iron |
| ignition | electronic ignition | electronic ignition |
| flame failure | ✓ | ✓ |
| wok support | ✓ | ✓ |
| MAIN OVEN | | |
| type | electric | electric |
| oven functions | multifunction 10 | multifunction 8 |
| twin fan system | ✓ | ✓ |
| capacity* | | |
| – gross (litres) | 125 | 125 |
| – usable (litres) | 116 | 116 |
| timer | fully programmable touch control | 3 button touch control |
| lights | 2 x 40W halogen | 2 x 40W halogen |
| glass layers in door | 3 | 3 |
| catalytic liners | ✓ (sides and rear) | |
| grill in oven | ✓ | ✓ |
| removable side racks | ✓ | ✓ |
| shelf positions | 7 | 7 |
| GENERAL FEATURES | | |
| removable stainless steel splashback | ✓ | ✓ |
| wire shelves | 2 | 2 |
| grill dish | 2 x half-width | 2 x half-width |
| grill insert | 2 x half-width | 2 x half-width |
| grill rack | 1 x full-width | 1 x full-width |
| storage compartment | ✓ | ✓ |
| removable stainless steel kickplate | ✓ | ✓ |
| removable feet | stainless steel | stainless steel |
| CONNECTION | | |
| type | hardwire | hardwire |
| maximum power rating (kW) | 3.1 | 3 |
| maximum gas rating (NG) | 58.6 MJ/h | 49.6 MJ/h |
| DIMENSIONS[^] | | |
| adjustable height to hob xVxD (mm) | 910–930 x 895 x 600 | 910–930 x 895 x 600 |
| removable splashback height (mm) | 60 | 60 |
| proud mount cut-out HxVxD (mm) | 755 max x 900 min x 600 | 755 max x 900 min x 600 |

* IMPORTANT The above dimensions are a guide only. Depth excludes knobs and handles. For complete dimensions and installation requirements, refer to the information provided with the product or visit www.westinghouse.com.au

[^] Height to hob does not include the height of the trivets above the hob

† Burner outputs shown above are for natural gas connection

* Based on International Standard IEC 60350-1

(continued overleaf...)

90CM FREESTANDING COOKERS

features†



| MODEL | WFE912SA | WFE946SA |
|--|-------------------------|----------------------------------|
| type | dual fuel | electric |
| fingerprint-resistant stainless steel finish | ✓ | ✓ |
| HOB | | |
| type | gas | ceramic |
| burners/elements | 5 | 5 |
| front left | 5.1 MJ/h | 1200W |
| front right | 12.1 MJ/h | 1800W |
| front middle | | |
| rear middle | | |
| middle | 14.4 MJ/h (wok) | 1400/2200W (dual zone) |
| rear left | 9 MJ/h | 800/1600/2300W (triple zone) |
| rear right | 9 MJ/h | 1200W |
| control type | knobs | touch |
| trivets | cast iron | |
| ignition | electronic ignition | |
| flame failure | | |
| wok support | ✓ | |
| MAIN OVEN | | |
| type | electric | electric |
| oven functions | multifunction 8 | multifunction 10 |
| twin fan system | ✓ | ✓ |
| capacity* | | |
| – gross (litres) | 125 | 125 |
| – usable (litres) | 116 | 116 |
| timer | 3 button push control | fully programmable touch control |
| lights | 2 x 40W halogen | 2 x 40W halogen |
| glass layers in door | 3 | 3 |
| catalytic liners | | ✓ (sides and rear) |
| grill in oven | ✓ | ✓ |
| removable side racks | ✓ | ✓ |
| shelf positions | 7 | 7 |
| GENERAL FEATURES | | |
| removable stainless steel splashback | ✓ | ✓ |
| wire shelves | 2 | 2 |
| grill dish | 2 x half-width | 2 x half-width |
| grill insert | 2 x half-width | 2 x half-width |
| grill rack | 1 x full-width | 1 x full-width |
| storage compartment | | ✓ |
| removable stainless steel kickplate | | ✓ |
| removable feet | black | stainless steel |
| CONNECTION | | |
| type | hardwire | hardwire |
| maximum power rating (kW) | 3 | 12.3 |
| maximum gas rating (NG) | 49.6 MJ/h | |
| DIMENSIONS^ | | |
| adjustable height to hob xVxD (mm) | 910–930 x 895 x 600 | 906–926 x 895 x 600 |
| removable splashback height (mm) | 60 | 60 |
| proud mount cut-out HxVxD (mm) | 755 max x 900 min x 600 | 755 max x 900 min x 600 |

* IMPORTANT The above dimensions are a guide only. Depth excludes knobs and handles. For complete dimensions and installation requirements, refer to the information provided with the product or visit www.westinghouse.com.au

^ Height to hob does not include the height of the trivets above the hob

Burner outputs shown above are for natural gas connection

* Based on International Standard IEC 60350-1

60CM AND 54CM FREESTANDING COOKERS

Our 60cm and 54cm freestanding cooker range features convenient separate grills and the same BOSS® oven platform as the built-in models. The 60cm models can be freestanding or integrated into kitchen cabinetry.

Both the 60cm and 54cm range is available in full electric and full gas combinations, while selected 60cm models are also available in a dual fuel combination – electric oven and gas cooktop.



DESIGNED AND MADE IN AUSTRALIA

Proudly created for Australians by Australians, you can trust Westinghouse freestanding cookers to cook all your favourite meals just the way you like them.



SEPARATE GRILLING COMPARTMENT

All the 54cm, 60cm and elevated cookers have a separate grilling compartment for added practicality. You can bake and grill at the same time, and it's easier to keep the oven cleaner.



LARGE CAPACITY OVENS

Our freestanding cookers allow you to cook large meals easily with a generous 80L gross capacity oven in the 60cm, 54cm and elevated range.



EASY CLEAN CERAMIC SURFACE

Not only aesthetically pleasing, the durable glass surface is easy to clean and maintain ensuring your kitchen is always looking its best.

(Selected models only)



EASY CLEANING

Enamel surfaces are easy to maintain, and formed runners[^] on the inside (instead of racks) means easier cleaning.

[^] Selected models only



PROGRAMMABLE TIMERS


With 3 simple-to-operate buttons, you can automatically set the oven to turn on or off, or simply use the clock as a timer.

(Selected models only)



TRIPLE RING WOK BURNER

On selected gas models, a high power triple-ring burner allows you to stir fry like a professional.



HOT SURFACE INDICATORS

Avoid unnecessary accidents in the kitchen with hot surface indicators that clearly show if the hotplates are activated or still hot.

(Selected models only)

[^] All 54cm have formed runners, all 60cm have side racks and all elevated cookers have formed runners.

* Refer to the product specifications for more information.

60CM INTEGRATED COOKERS features†



| MODEL | PSP632W/S | DSP635W/S# | GSP625W/S** | GSP627S** |
|------------------------------|--|--|--|--|
| type | electric with separate grill | dual fuel with electric separate grill | gas with electric separate grill | gas with electric separate grill |
| available finishes | white/fingerprint resistant stainless steel^ | white/fingerprint resistant stainless steel^ | white/fingerprint resistant stainless steel^ | fingerprint resistant stainless steel^ |
| BOSS® oven system | ✓ | ✓ | ✓ | ✓ |
| HOB | | | | |
| type | ceramic | gas | gas | gas |
| burners/elements | | | | |
| front left | 1200W | 14.4MJ/h wok | 14.4MJ/h wok | 14.4MJ/h wok |
| left rear | 2000W | 5.1MJ/h | 5.1MJ/h | 5.1MJ/h |
| middle front (centre) | | | | |
| middle rear | | | | |
| right front | 2200/1000W | 9.0MJ/h | 9.0MJ/h | 9.0MJ/h |
| right rear | 1200W | 12.7MJ/h | 12.7MJ/h | 12.7MJ/h |
| trivets | | cast iron | enamel | cast iron |
| ignition | | integrated electronic | integrated electronic | integrated electronic |
| hot surface indicator | ✓ | | | |
| MAIN OVEN | | | | |
| type | electric | electric | gas | gas |
| oven functions | fan forced | fan forced | fan | fan |
| capacity | | | | |
| – gross (litres) | 80 | 80 | 80 | 80 |
| – usable (litres) | 66 | 66 | 66 | 66 |
| oven burner output (NG) | | | 10.5MJ/h | 10.5MJ/h |
| oven ignition | | | electronic | electronic |
| removable side racks | ✓ | ✓ | ✓ | ✓ |
| catalytic liners | optional accessory | optional accessory | optional accessory | optional accessory |
| timer | 120 min auto-off | 120 min auto-off | 120 min auto-off | programmable |
| lights | 1 | 1 | 1 | 1 |
| door glass layers | 2 | 2 | 2 | 3 |
| oven flame failure device | | | ✓ | ✓ |
| GENERAL FEATURES | | | | |
| separate grill (electric) | ✓ | ✓ | ✓ | ✓ |
| telescopic grill | ✓ | ✓ | ✓ | ✓ |
| number of shelves | 2 | 2 | 2 | 2 |
| grill dish | ✓ | ✓ | ✓ | ✓ |
| grill insert | anti-spatter | anti-spatter | anti-spatter | anti-spatter |
| oven tray | full-width baking tray | full-width baking tray | full-width baking tray | full-width baking tray |
| electrical connection | hardwire | 20A plug & lead | 10A plug & lead | 10A plug & lead |
| maximum power rating | 10.7kW | 4.1kW | 1.9kW | 1.9kW |
| maximum gas rating (NG) | | 40.6MJ/h | 51.1MJ/h | 51.1MJ/h |
| DIMENSIONS ^ | | | | |
| height to hob° xWxD | 905 x 598 x 596 | 905 x 598 x 596 | 905 x 598 x 596 | 905 x 598 x 596 |
| depth excluding handles (mm) | | | | |

* This gas product is only suitable for use on normal 240V AC mains supply. The use of inverters, UPS or generators must be checked to ensure the waveform is a pure sinusoidal output to confirm it is compatible with the electronics within this product. Connection to any power supply that does not meet the above requirements may result in failure of the product to operate and/or permanent damage to electronics within the product and may void the product warranty. No flue is required for Westinghouse gas ovens.

For DSP635 models, hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

~ For GSP625 and GSP627 models, it must be specified at time of purchase if LP gas is required as these models can not be converted.

^ Front surface only (not hob).

60CM ELECTRIC FREESTANDING COOKERS

features[†]



| MODEL | PAK808W | PAK806W | PAK804W |
|---------------------------|-------------------|-------------------|------------------|
| nominal width (mm) | 600 | 600 | 600 |
| available finishes | white | white | white |
| HOB | | | |
| type | ceramic | ceramic | enamel |
| element | ribbon | ribbon | coil |
| left front | 750W/1450W (dual) | 750W/1450W (dual) | 2050W |
| left rear | 1200W | 1200W | 1250W |
| right front | 1200W | 1200W | 2050W |
| right rear | 1800W | 1800W | 1250W |
| hot surface indicator | ✓ | | |
| MAIN OVEN | | | |
| oven functions | fan forced | fan forced | fan forced |
| capacity | | | |
| – gross (litres) | 80 | 80 | 80 |
| – usable (litres) | 66 | 66 | 66 |
| timer | programmable | 60 minute | 60 minute |
| oven light | ✓ | ✓ | ✓ |
| shelf support | wire racks | wire racks | wire racks |
| GENERAL FEATURES | | | |
| separate grill | ✓ | ✓ | ✓ |
| anti-spatter grill insert | ✓ | ✓ | |
| warming/storage drawer | warming | storage | storage |
| number of shelves | 2 | 2 | 2 |
| CONNECTION | | | |
| type | hardwire | hardwire | hardwire |
| maximum power rating | 11.2kW | 10.8kW | 11.1kW |
| DIMENSIONS* | | | |
| overall HxWxD (mm) | 1140 x 596 x 630 | 1140 x 596 x 630 | 1140 x 596 x 630 |
| height to hob (mm) | 913 | 913 | 913 |

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

[†] Refer to the product information on the back page of this brochure

| CATALYTIC LINER KIT | DESCRIPTION | MODELS COMPATIBLE WITH THE CATALYTIC LINER KIT |
|---------------------|----------------------|---|
| ACC041 | side and rear liners | Freestanding Electric Ovens: DPS635, PAK804, PAK806, PAK808, PSP632 |
| ACC042 | sider liners | Freestanding Electric Ovens: DSP635, PAK804, PAK806, PAK808, PSP632 Freestanding Gas Ovens: GSP625, GSP627 |
| ACC043 | side and rear liners | Freestanding Gas Ovens: GSP625, GSP627 |

54CM ELECTRIC FREESTANDING COOKERS[†] features[†]



| MODEL | PAK557W | PAK520W | PAK518W | PAK144W | PAK143W |
|-------------------------------|------------------|------------------|------------------|------------------|------------------|
| nominal width (mm) | 540 | 540 | 540 | 540 | 540 |
| available finishes | white | white | white | white | white |
| HOB | | | | | |
| type | ceramic | enamel | enamel | enamel | enamel |
| element | ribbon | solid | coil | solid | coil |
| left front | 1200W | 1000W | 1250W | 1000W | 1250W |
| left rear | 2000W | 1500W | 1250W | 1500W | 1250W |
| right front | 1200W | 2000W | 2050W | 2000W | 2050W |
| right rear | 1200W | 1000W | 1250W | 1000W | 1250W |
| hot surface indicator | ✓ | | | | |
| MAIN OVEN | | | | | |
| oven functions | fan forced | fan forced | fan forced | conventional | conventional |
| capacity | | | | | |
| – gross (litres) | 80 | 80 | 80 | 80 | 80 |
| – usable (litres) | 66 | 66 | 66 | 66 | 66 |
| timer | programmable | programmable | programmable | 60 minute | 60 minute |
| oven light | ✓ | ✓ | ✓ | ✓ | ✓ |
| lift-off enamel oven door | ✓ | ✓ | ✓ | ✓ | ✓ |
| shelf support | formed runners | formed runners | formed runners | formed runners | formed runners |
| GENERAL FEATURES | | | | | |
| separate grill | ✓ | ✓ | ✓ | ✓ | ✓ |
| wire grill dish insert | ✓ | ✓ | ✓ | ✓ | ✓ |
| number of shelves | 2 | 2 | 2 | 2 | 2 |
| CONNECTION | | | | | |
| type | hardwire | hardwire | hardwire | hardwire | hardwire |
| maximum power rating | 10.7kW | 11.0kW | 10.3kW | 10.5kW | 9.8kW |
| DIMENSIONS[†] | | | | | |
| overall h x w x d (mm) | 1140 x 540 x 630 | 1140 x 540 x 630 | 1140 x 540 x 630 | 1140 x 540 x 630 | 1140 x 540 x 630 |
| height to hob (mm) | 915 | 915 | 915 | 915 | 915 |

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

[†] Refer to the product information on the back page of this brochure

54CM GAS FREESTANDING COOKERS features†



| MODEL | GUK527W | GUK525W | GUK517W | GUK512W | GUK511W |
|-------------------------|-------------------------|-------------------------|---------------------|------------------|------------------|
| nominal width (mm) | 540 | 540 | 540 | 540 | 540 |
| available finishes | white | white | white | white | white |
| HOB | | | | | |
| type | enamel | enamel | enamel | enamel | enamel |
| burners | 4 | 4 | 4 | 4 | 4 |
| left front | 14.4MJ/h (wok) | 12.7MJ/h | 14.4MJ/h (wok) | 12.7MJ/h | 12.7MJ/h |
| left rear | 5.1MJ/h | 5.1MJ/h | 5.1MJ/h | 5.1MJ/h | 5.1MJ/h |
| right front | 9.0MJ/h | 9.0MJ/h | 9.0MJ/h | 9.0MJ/h | 9.0MJ/h |
| right rear | 9.0MJ/h | 9.0MJ/h | 9.0MJ/h | 9.0MJ/h | 9.0MJ/h |
| enamelled wire trivets | ✓ (with wok trivet) | ✓ | ✓ (with wok trivet) | ✓ | ✓ |
| ignition | electronic | electronic | electronic | | |
| MAIN OVEN | | | | | |
| oven functions | fan bake & conventional | fan bake & conventional | conventional | conventional | conventional |
| capacity | | | | | |
| – gross (litres) | 80 | 80 | 80 | 80 | 80 |
| – usable (litres) | 59 | 59 | 59 | 59 | 59 |
| timer | 60 minute | 60 minute | 60 minute | 60 minute | |
| oven light | ✓ | ✓ | | | |
| ignition | electronic | electronic | electronic | piezo | piezo |
| shelf support | formed runners | formed runners | formed runners | formed runners | formed runners |
| GENERAL FEATURES | | | | | |
| separate grill | ✓ | ✓ | ✓ | ✓ | ✓ |
| wire grill dish insert | ✓ | ✓ | ✓ | ✓ | ✓ |
| number of shelves | 2 | 2 | 2 | 2 | 2 |
| CONNECTION | | | | | |
| type | 10A plug | 10A plug | 10A plug | not required | not required |
| max gas rating | 60.8MJ | 59.1MJ | 60.8MJ | 59.1MJ | 59.1MJ |
| DIMENSIONS† | | | | | |
| overall h x w x d (mm) | 1140 x 540 x 630 | 1140 x 540 x 630 | 1140 x 540 x 630 | 1140 x 540 x 630 | 1140 x 540 x 630 |
| height to hob (mm) | 915 | 915 | 915 | 915 | 915 |

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles. Burner outputs shown above are for natural gas connection.

† Refer to the product information on the back page of this brochure

ELEVATED ELECTRIC COOKERS features†



| MODEL | PEK1350W-L/R | PEK1370W-L/R |
|-------------------------------------|---------------------|------------------|
| nominal width (mm) | 1085 | 1085 |
| available finishes | white | white |
| HOB | | |
| type | enamel | ceramic |
| element | solid | ribbon |
| left front | 1000W | 1200W |
| left rear | 1500W | 2000W |
| right front | 2000W | 1200W |
| right rear | 1000W | 1200W |
| hot surface indicator | | ✓ |
| MAIN OVEN | | |
| oven functions | fan forced | fan forced |
| capacity | | |
| – gross (litres) | 80 | 80 |
| – usable (litres) | 66 | 66 |
| timer | 120 minute auto-off | programmable |
| oven light | ✓ | ✓ |
| shelf support | formed runners | formed runners |
| GENERAL FEATURES | | |
| separate grill | ✓ | ✓ |
| wire grill insert | ✓ | ✓ |
| number of shelves | 2 | 2 |
| CONNECTION | | |
| type | hardwire | hardwire |
| maximum power rating | 10.0kW | 10.7kW |
| DIMENSIONS† | | |
| overall height x width x depth (mm) | 540 x 1085 x 630 | 540 x 1085 x 630 |

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles. Burner outputs shown above are for natural gas connection.

† Refer to the product information on the back page of this brochure

ELEVATED GAS COOKERS features[†]



| MODEL | GEK1235W-L/R | GEK1385W-L/R |
|-------------------------------------|------------------|-------------------------|
| nominal width (mm) | 1085 | 1085 |
| available finishes | white | white |
| HOB | | |
| type | enamel | enamel |
| burners | 4 | 4 |
| left front | 12.7MJ/h | 12.7MJ/h |
| left rear | 5.1MJ/h | 5.1MJ/h |
| right front | 9.0MJ/h | 9.0MJ/h |
| right rear | 9.0MJ/h | 9.0MJ/h |
| enamelled wire trivets | ✓ | ✓ |
| ignition | | electronic |
| MAIN OVEN | | |
| oven functions | conventional | fan bake & conventional |
| capacity | | |
| – gross (litres) | 80 | 80 |
| – usable (litres) | 59 | 59 |
| timer | 60 minute | 60 minute |
| oven light | | ✓ |
| ignition | piezo | electronic |
| shelf support | formed runners | formed runners |
| GENERAL FEATURES | | |
| separate grill | ✓ | ✓ |
| wire grill insert | ✓ | ✓ |
| number of shelves | 2 | 2 |
| CONNECTION | | |
| electrical | not required | 10A plug |
| gas rating | 59MJ | 59MJ |
| DIMENSIONS[†] | | |
| overall height x width x depth (mm) | 540 x 1085 x 630 | 540 x 1085 x 630 |

Dimensions refer to overall dimensions of the product, not actual cutout sizes. Depth excludes knobs and handles. Burner outputs shown above are for natural gas connection.

[†] Refer to the product information on the back page of this brochure

**For more information on all Westinghouse appliances,
or for dimension and installation information, call into your retailer,
phone or email our customer care team or visit our website:**

phone: 1300 363 640
fax: 1800 350 067
email: customercare@electrolux.com.au
web: www.westinghouse.com.au

**Westinghouse. We are part of the Electrolux family.
Share more of our thinking at www.electrolux.com.au**



TOP SERVICE

Top Service encompasses the after sales service provided by The Electrolux Group to consumers including delivery, home service and spare parts.

WARRANTY

Electrolux Home Products warrants that for domestic application, the Westinghouse Freestanding Cookers featured in this brochure are free from defects in materials and workmanship for a period of 2 years (3 months for commercial applications) from the date of first purchase, subject to the conditions set out in the warranty card accompanying the product when purchased.

† PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.